



RESIPRO TEXTUR

SPECIAL METHACRYLIC VARNISH FOR CONCRETE AND WATERPROOFING

DESCRIPTION

RESIPRO TEXTUR VARNISH is a high-performance protective varnish based on self-crosslinking methacrylic resins in aqueous dispersion with fine particles and great anchorage, with excellent tenacity and great resistance to UV rays. It forms a film on the concrete, preventing the rapid evaporation of mixing water, preventing the appearance of early cracks due to shrinkage, etc. It penetrates the pavement, compacting the particles together, providing excellent resistance to abrasion and surface wear, improving the durability of the pavement. It enhances the colors of the flooring and gives it a high shine, giving it a very attractive appearance.

PROPERTIES

- Increases hardness and abrasion resistance.
- Prevents premature evaporation of mixing water.
- Provides an excellent surface finish.
- Improves resistance against external agents.
- Alkali resistant.
- Seals the surface preventing the formation of dust.
- Applicable on concrete, printed concrete, stone, brick and waterproofing.

TECHNICAL CHARACTERISTICS

Nature of the binder:	Resins based on methacrylic copolymers.
Ph:	8.0-8.5
Solid content:	26.5%.
Density:	1.02 g/cm ³ .
Goo:	100-200 mPas.
Diluent:	Water.
Drying time (normal conditions):	
- Touch:	3-4 hours.
- Repainted:	4-16 hours.
- Total:	3-7 days.



HOW TO USE

It should always be applied after the surface has completely hardened. It is convenient to maintain the maximum possible ventilation during application, in order to favor the drying. Apply the product directly, without adding solvents, using a sprayer or roller leaving a uniform film avoiding leaving very thick layers of the product, the surface must be clean and dry. It is recommended to apply two coats of 150-250 g/m².



Tecno Prodlist®

Chemical solutions for construction and maintenance